




AUTOMIZED CONDUCTION OF A FOREST INVENTORY



A forest inventory can be a powerful management tool for forest management. Recently, we developed an innovative, universal approach which enables identifying individual trees from different types of scans and gather relevant inventory data.

What's a tree inventory?

A forest inventory is the gathering of information on the health and diversity of a community forest. It provides details such as tree condition, species, size and location. A forest inventory may be conducted to:

- identify insect or disease problems of trees
- help the urban planners to develop maintenance and management plans
- analyze and increase the environmental impact of trees

Using LiDAR surveys for forest inventory

There are many methods how to conduct a forest inventory. In recent years both aerial and terrestrial LiDAR surveys have become widely used for this task as technological advances make it more affordable and precise. That is because more and more companies are developing cheaper LiDAR sensors and the availability of drones collecting LiDAR data is higher than ever. Nevertheless, extracting inventory information like number of trees, their canopy shape or height is very labor-intensive as this is often done manually.


A forest inventory conducted in a new way together with RAG

Goals

Part of our latest project for RAG was to conduct a forest inventory as a proof of concept. RAG specializes in long-term monitoring of mining damages, i.e. automatic detection of landscape changes, and here especially ground movements. A forest inventory can help to better isolate the causes of changes in the landscape through monitoring changes over time and observing which of them may be consequential damage to opencast mining.



AUTOMIZED CONDUCTION OF A FOREST INVENTORY



The goal was to provide exact tree point identification in the point cloud as well as individual tree separation with corresponding inventory data:

- object-ID,
 - position,
 - crown's extent
- as a result.

Challenges

LiDAR point clouds of trees can be extremely diverse depending on the applied acquisition method (airborne or terrestrial LiDAR scanning). That is why one of the biggest challenges was to develop algorithms based as little as possible on the specific characteristics of the different scan types, so that they could be used universally. Sometimes methods of recognizing tree trunk and treetops working on one point cloud were not suitable for another. Developing a universal approach required testing different methods like watershed separation and region growing from detected tree stems.

Implementation

We combined deep learning and different smart algorithms to identify tree points and separate individual trees from above, both with visible tree trunks and without. Initially, the vegetation had to be classified manually to generate a comprehensive set of training data for the neural network so the process can be done automatically in the future. However, with the help of Pointly this task was performed in just a few days.

We first classified all trees and other objects with Pointly to proceed with instance segmentation of the individual trees. Afterwards, the results (classification and instance segmentation) were transferred into other common geo data types (i.e. GeoJSON, Esri shape file), enriched with additional information such as height attributes.

Proof of concept outcome

The proof of concept in the project with RAG was successful. 2 map layers with tree counts, canopy shapes as well as tree height were generated. Now ongoing processing of new data is being performed so that this service can be automated and offered also directly in Pointly soon.